

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Atty. John R. Ross, representative to applicant, on September 10, 2008.

IN THE CLAIMS:

Claim 1, line 12, "compensate" has been changed to --condensate--

Line 17, "electralizer" has been changed to --electrolizer--

Line 20, "pours" has been changed to --pores--.

Claim 10, seven line from the bottom, "electralizer" has been changed to --electrolyzer--.

Claims 1-8 and 10-11 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Virginia Manoharan whose telephone number is 571-272-1450.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola, can be reached on 571-272-1444.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Virginia Manoharan/
Primary Examiner, Art Unit 1797